

TROLLEYS FOR TRANSPORT OF OIL, GREASE AND SIMILAR DRUMS



Modular and varnished trolleys, advised for the transport of drums (oil - grease - similar) of 16<220 Kg in work places.



TROLLEYS FOR THE TRANSPORT OF OIL, GREASE AND SIMILAR DRUMS



030-1392-000

Art. 030-1392-000

Trolley for drums of 16-60 Kg

Equipped with:



2 wheels Ø 150 mm

Band for fixing drums

Adjustable base



030-1392-000 6,000 0,051 1



030-1393-000

Art. 030-1393-000

Trolley for drums of 16-30 Kg

Equipped with:



2 pneumatic wheels Ø 220 mm

Band for fixing drums

Base dimension 350 x 240 mm



030-1393-000 7,700 0,051 1



030-1394-000

Art. 030-1394-000

Trolley for drums of 50-60 Kg

Equipped with:



2 pneumatic wheels Ø 220 mm

Band for fixing drums

Base dimension 400 x 300 mm



030-1394-000 7,900 0,072 1



030-1395-000

Art. 030-1395-000

Trolley for drums of 50-60 Kg

Equipped with:



2 fixed wheels Ø 125 mm

2 swivelling wheels Ø 60 mm

Base dimension 410 x 410 mm



030-1395-000 13,600 0,072 1



Modular and varnished trolleys, advised for the transport of drums (oil – grease - similar) of 16<60 Kg in work places.

TROLLEYS FOR THE TRANSPORT OF OIL, GREASE AND SIMILAR DRUMS



Art. 030-1398-000

Trolley for drums of 180-220 Kg

Pre-arranged for the application of the hose reel





Equipped with:



2 fixed wheels Ø 200 mm

1 swivelling wheel Ø 125 mm
(equipped with locking device)

Band for fixing drums

Base dimension 600x470 mm

			
030-1398-000	21,900	0,170	1



030-1398-000

Art. 030-1400-000

Trolley for drums of 180-220 Kg


Equipped with:

2 fixed wheels Ø 250 mm

2 swivelling wheels Ø 125 mm

Base dimension 610x610 mm

			
030-1400-000	37,000	0,170	1



030-1400-000

Art. 030-1405-000

Trolley for drums of 180-220 Kg

Pre-arranged for the application of the hose reel

Equipped with:


2 fixed wheels Ø 250 mm

2 swivelling wheels Ø 180 mm

(one is equipped with locking device)

Base dimension 610x610 mm

			
030-1405-000	46,200	0,170	1







030-1405-000



Modular and varnished trolleys, advised for the transport of drums (oil – grease - similar) of 180<220 Kg in work places.



030-1407-000

Art. 030-1407-000
Special trolley for drums of 180-220 l
Equipped with:
2 pneumatic wheels \varnothing 380 mm



			
030-1407-000	23,200	0,390	1



030-1408-000

Art. 030-1408-000
Hydraulic lift trolley for drums of 180-220 l
Equipped with:
Hydraulic pedal pump
Collet self-locking
2 fixed wheels \varnothing 80 mm
2 swivelling wheels \varnothing 125 mm

			
030-1408-000	53,500	0,095	1



Technical Data		030- 1408-000
Piston stroke	mm	650
Max delivery	kg	250
Dimensions A	mm	1340/1840
Dimensions B	mm	580
Dimensions C	mm	80
Dimensions D	mm	880
Dimensions E	mm	975
Dimensions F	mm	825

Lift trolleys for drums suitable for the substitution of drums up to 220 kg on the tanks of dump. It's simple, effortless and it can be used by only one person.